DIRECTORY OF EXPORT ELEVATORS

AT

EXPORT PORT LOCATIONS

INCLUDING

FACILITY DATA



Year 2000

UPDATED: August 1, 2000

"The information that appears in the following section was provided to the Federal Grain Inspection Service (FGIS) by the export elevator companies. The reliability of this data is limited to the accuracy of the information supplied to FGIS."

FIELD OFFICE MANAGER: Pat LaCour

TELEPHONE NUMBER: (410) 590-2259 FAX NUMBER: (410) 766-8604

SERVICE PROVIDED BY: Virginia Department of Agriculture and Consumer Services

SUPERVISOR: Thomas M. Thompson

TELEPHONE NUMBER: (757) 494-2464 FAX NUMBER: (757) 494-2463

ELEVATOR NAME AND ADDRESS: Perdue Farms, Inc.

8801 Hampton Boulevard (formerly Cargill Norfolk, VA 23514 North Elevator)

FACILITY OPERATOR: Perdue Farms, Inc.

7036 Zion Chirch Road Salisbury, Maryland 21804

MERCHANDISING MANAGER: Mike Barber ELEVATOR SUPERINTENDENT: Ann Gouverneur TELEPHONE NUMBER: (757) 494-5596

FAX NUMBER: (757) 545-6313

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 3.3 million bushels (86,800 metric tons) LOADING CAPACITY (/HR) 40,000 bushels (1,000 metric tons

NUMBER OF LEGS IN HOUSE: 10 WEIGHT SCALES: NUMBER: 7

LOCATION: 5 - headhouse scale floor

1 - barge scale tower

1 - truck dump

TYPE: 6 - Morrison Hopper T5000 (railcars, barge, & ship)

1 - Streeter Amet electronic platform (truck)

D/T SAMPLERS: NUMBER: 4

LOCATION: fifth floor headhouse and barge scale tower

TYPE: International Stanley

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A NUMBER OF SPOUTS TO SHIP: 3 loaders NUMBER OF BELTS TO SHIP: 2 SWITCHING CARRIER: CSXT / NPD

FIELD OFFICE MANAGER: Pat LaCour

TELEPHONE NUMBER: (410) 590-2259 FAX NUMBER: (410) 766-8604

SERVICE PROVIDED BY: Virginia Department of Agriculture and Consumer Services

SUPERVISOR: Thomas M. Thompson

TELEPHONE NUMBER: (757) 494-2464 FAX NUMBER: (757) 494-2463

ELEVATOR NAME AND ADDRESS: Perdue Farms, Inc.

501 Barnes Road (formerly Cargill Chesapeake, VA 23324 South Elevator)

FACILITY OPERATOR: Perdue Farms, Inc.

7036 Zion Chirch Road Salisbury, Maryland 21804

MERCHANDISING MANAGER: Mike Barber ELEVATOR SUPERINTENDENT: Ann Gouverneur TELEPHONE NUMBER: (757) 494-5596 FAX NUMBER: (757) 545-6313

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 6.8 million bushels (179,900 metric tons)
LOADING CAPACITY (/HR) 60,000 bushels (1,600 metric tons)

NUMBER OF LEGS IN HOUSE: 5 WEIGHT SCALES: NUMBER: 7

LOCATION: 1 - shipping scale in shipping tower

1 - barge receiving scale in headhouse1 - railcar receiving scale in headhouse2 - platform scales at old truck dump2 - hopper scales at new truck dump

TYPE: 5 - Compuweigh Hopper Electronic Truck

2 - BLH Vehicle Electronic Platform

D/T SAMPLERS: NUMBER: 4

LOCATION: export, barge, rail receiving in headhouse

TYPE: 2 - Denver; 2 - Gamet

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

NUMBER OF SPOUTS TO SHIP: 2 NUMBER OF BELTS TO SHIP: 1

FIELD OFFICE MANAGER: Pat LaCour

TELEPHONE NUMBER: (410) 590-2259 FAX NUMBER: (410) 766-8604

SERVICE PROVIDED BY: GIPSA Brunswick Duty Point

OFFICER-IN-CHARGE: Larry Troutman TELEPHONE NUMBER: (912) 280-0040 FAX NUMBER: (912) 280-0045

ELEVATOR NAME AND ADDRESS: Georgia Ports Authority

Colonel's Island Bulk Facility

157 Penniman Circle Brunswick, GA 31525

FACILITY OPERATOR: Georgia Ports Authority

P. O. Box 2406

Savannah, GA 31402

ELEVATOR & OFFICE MANAGER: Ronnie Abner TELEPHONE NUMBER: (912) 262-2391 FAX NUMBER: (912) 262-2386

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 2.0 million bushels LOADING CAPACITY (/HR) 40,000 bushels (HR)

NUMBER OF LEGS IN HOUSE: 6 - Bucket Elevators/1 Incline belt

WEIGHT SCALES: NUMBER: 4

LOCATION: Export Tower/Rail Receiving/Rail Loadout Truck Dump
TYPE: 1 - Toledo Hopper/1 Toledo Truck/2 Compuweigh Hopper

D/T SAMPLERS: NUMBER: 1

LOCATION: Export Tower
TYPE: Interstate System

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

NUMBER OF SPOUTS TO SHIP: 1 NUMBER OF BELTS TO SHIP: 1

FIELD OFFICE MANAGER: Pat LaCour

TELEPHONE NUMBER: (410) 590-2259 FAX NUMBER: (410) 766-8604

SERVICE PROVIDED BY: GIPSA Baltimore Field Office

ELEVATOR NAME AND ADDRESS: ADM/Countrymark, Inc.

1700 Beason Streets Baltimore, MD 21230

FACILITY OPERATOR: ADM/Countrymark, Inc.

4666 Faries Parkway Decatur, Illinois 62526

EXPORT EXPEDITOR: Tom Gresham MANAGER: D. D. Amberman

SUPERINTENDENT: Paul Repko

TELEPHONE NUMBER: (410) 685-6410 FAX NUMBER: (410) 685-0233

TYPE OF OPERATION: Shipping Bin

STORAGE CAPACITY: 3.8 million bushels (100,000 metric tons)
LOADING CAPACITY (/HR): 60,000 bushels (1,525 metric tons)

NUMBER OF LEGS IN HOUSE: 4 - Shipping

3 - Receiving1 - Truck Leg

WEIGHT SCALES: NUMBER: 8

LOCATION: 7 - headhouse

1 - truck dump

TYPE: 7 - Compuweigh Full Electronic

1 - Fairbanks Vehicle Levertronic

D/T SAMPLERS: NUMBER: 4

LOCATION: Fourth floor

TYPE: International Stanley

NUMBER OF SHIPPING BINS: 12

CAPACITY OF EACH SHIPPING BIN: 20,000 bushels (600 metric tons)

NUMBER OF SPOUTS TO SHIP: 4 NUMBER OF BELTS TO SHIP: 3

FIELD OFFICE MANAGER: Pat LaCour

TELEPHONE NUMBER: (410) 590-2259 FAX NUMBER: (410) 766-8604

SERVICE PROVIDED BY: GIPSA Baltimore Field Office

ELEVATOR NAME AND ADDRESS: Cargill Elevator

A Street & Smith Blvd. Albany, NY 12202

FACILITY OPERATOR: Cargill, Inc.

15407 McGinty Road West

Wayzata, MN 55391

LOCATION MANAGER: Lynn Hansen TELEPHONE NUMBER: (518) 465-2120

FAX NUMBER: (518) 432-7597

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 13.5 million bushels (355,200 metric tons)

LOADING CAPACITY (/HR) 50,000 bushels (1,300 metric tons)

NUMBER OF LEGS IN HOUSE: 2

WEIGHT SCALES: NUMBER: 2

LOCATION: 1 - shipping scale in shipping tower

1 - receiving scale in headhouse

TYPE: Compuweigh Electronic

D/T SAMPLERS: NUMBER: 2

LOCATION: 1 - shipping in shipping tower

1 - receiving in headhouse

TYPE: 2 - International Stanley

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

NUMBER OF SPOUTS TO SHIP: 1 Peco Loader

NUMBER OF BELTS TO SHIP: 1

FIELD OFFICE MANAGER: Pat LaCour

TELEPHONE NUMBER: (410) 590-2259 FAX NUMBER: (410) 766-8604

SERVICE PROVIDED BY: South Carolina Department of Agriculture

ACTING CHIEF INSPECTOR: William C. Bradley TELEPHONE NUMBER: (843) 554-1311 FAX NUMBER: (843) 734-2192

ELEVATOR NAME AND ADDRESS: South Carolina Farm Bureau Marketing Association

State Ports Authority Terminal, Pier 18

North Charleston, SC 29405

FACILITY OPERATOR: South Carolina Farm Bureau Marketing Association

P. O. Box 5788

North Charleston, SC 29405

ELEVATOR MANAGER: James M. Deveaux

OFFICE MANAGER: L. C. DeCosta

TELEPHONE NUMBER: (843) 747-0441
ELEVATOR SUPERINTENDENT: Douglas Hiles
ASSISTANT SUPERINTENDENT: Stanley Worrell
TELEPHONE NUMBER: (843) 747-0470
FAX NUMBER: (843) 747-4284
TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 1.6 million bushels (42,100 metric tons)

LOADING CAPACITY (/HR) 30,000 bushels (800 metric tons)

NUMBER OF LEGS IN HOUSE: 7

WEIGHT SCALES: NUMBER: 3 - Hoppers

1 - Rail

2 – Truck (1 not approved for official use)

LOCATION: Headhouse

TYPE: 2 - Toledo Hopper Full Electronic 1 - Toledo Track Full Electronic

2 - Toledo Vehicle Levertronic (1 not approved)

D/T SAMPLERS: NUMBER: 2

LOCATION: Above Scale

TYPE: International Stanley

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

NUMBER OF SPOUTS TO SHIP: 5
NUMBER OF BELTS TO SHIP: 1

FEDERAL/STATE OFFICE: SACRAMENTO, CALIFORNIA

FEDERAL/STATE MANAGER: Michael J. Johnson TELEPHONE NUMBER: (916) 654-0743 LAB TELEPHONE NUMBER: (916) 274-0434 FAX NUMBER: (916) 653-2409

SERVICE PROVIDED BY: California Department of Food and Agriculture

CHIEF: Steve Wong
AG. PROGRAM SUPERVISOR: Sandra Newell
TELEPHONE NUMBER (916) 654-0734
FAX NUMBER (916) 653-2409

ELEVATOR NAME AND ADDRESS: Cargill Sacramento Elevator

Harbor & Industrial BLVD., Berth #5

West Sacramento, CA 95691

FACILITY OPERATOR: Cargill, Inc.

15407 McGinty Road West

Wayzata, MN 55391

ELEVATOR MANAGER & SUPT: Dan Herrigstad
TELEPHONE NUMBER: (916) 371-4051
FAX NUMBER: (916) 371-1674

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 1.25 million bushels (32,900 metric tons)

LOADING CAPACITY (/HR) 21,200 bushels (600 metric tons) NUMBER OF LEGS IN HOUSE: 3 (1 Leg in the Shipping System)

WEIGHT SCALES: NUMBER: 5

LOCATION: 1 - 3'rd Floor New House - Shipping

1 - 3'rd Floor Old House - Receiving2 - South End of Elevator - Trucks

1 - Main Floor of Warehouse

TYPE: 2 - Fairbanks-Morse Hoppers Full Electronic

1 - Compuweigh Hopper Levertronic2 - Cardinal Vehicle Levertronic

D/T SAMPLERS: NUMBER: 1

LOCATION: Above Spout in Sea Gallery

TYPE: International Stanley

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

NUMBER OF SPOUTS TO SHIP: 1
NUMBER OF BELTS TO SHIP: 1

FEDERAL/STATE OFFICE: SACRAMENTO, CALIFORNIA

FEDERAL/STATE MANAGER: Michael J. Johnson TELEPHONE NUMBER: (916) 654-0743 LAB TELEPHONE NUMBER: (916) 274-0434 FAX NUMBER: (916) 653-2409

SERVICE PROVIDED BY: California Department of Food and Agriculture

CHIEF: Steve Wong
AG. PROGRAM SUPERVISOR: Sandra Newell
TELEPHONE NUMBER (916) 654-0734
FAX NUMBER (916) 653-2409

ELEVATOR NAME AND ADDRESS: Penny-Newman Grain Company

1805 Harbor Road (formerly Continental Stockton, CA 95203 Grain Elevator)

FACILITY OPERATOR: Penny-Newman Grain Company

Post Office Box 26240

Fresno, California 93729-6240

ELEVATOR MANAGER: Robert Mentelos TELEPHONE NUMBER: (209) 466-5446 FAX NUMBER: (209) 466-1236

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY:

LOADING CAPACITY (/HR)

NUMBER OF LEGS IN HOUSE:

6.5 million bushels (184,400 metric tons)

40,000 bushels (1,100 metric tons)

15 (3 Legs in the Shipping System)

WEIGHT SCALES: NUMBER: 5

LOCATION: 3 - 6'th Floor - Shipping & Receiving

2 - Southeast Side of Elevator (Trucks)

TYPE: 2 - Holman Vehicle Levertronic

3 - Howe-Richardson Bulktronic Levertronic

D/T SAMPLERS: NUMBER: 2

LOCATION: 4'th Floor Between Lower Garners & Shipping Belts

TYPE: Quality Control

NUMBER OF SHIPPING BINS: None

CAPACITY OF EACH SHIPPING BIN: N/A

NUMBER OF SPOUTS TO SHIP: 2 NUMBER OF BELTS TO SHIP: 2

FIELD OFFICE MANAGER: Ron Cates

TELEPHONE NUMBER: (281) 338-2787 FAX NUMBER: (281) 338-2788

SERVICE PROVIDED BY: GIPSA Beaumont Suboffice

OFFICER IN CHARGE: Alfred Broussard, Jr. TELEPHONE NUMBER: (409) 839-2425 FAX NUMBER: (409) 839-8281

ELEVATOR NAME AND ADDRESS: Louis Dreyfus Beaumont Elevator

1745 Buford Street (formerly Continental

Beaumont, TX 77704 Grain)

FACILITY OPERATOR: Louis Dreyfus Corporation

10 Westport Road (P. O. Box 810)

Wilton, CT 06897-0810

ELEVATOR MANAGER: Bill Mullins
TELEPHONE NUMBER: (409) 838-6251
FAX NUMBER: (409) 833-4108

TYPE OF OPERATION: Shipping Bin

STORAGE CAPACITY: 3.5 million bushels (92,100 metric tons) LOADING CAPACITY (/HR) 50,000 bushels (1,300 metric tons)

NUMBER OF LEGS IN HOUSE: 5 - In House

2 - Outside House

WEIGHT SCALES: NUMBER: 7

LOCATION: 5 - Scale Floor

2 - Truck Dump

TYPE: 5 - Morrison Electronic

2 - Morrison Levertronic

D/T SAMPLERS: NUMBER: 4

LOCATION: 3 - Garner Floor

1 - Bin Floor

TYPE: 3 - Gamet

1 - International Stanley

NUMBER OF SHIPPING BINS: 4

CAPACITY OF EACH SHIPPING BIN: 20,000 bushels (500 metric tons)

NUMBER OF SPOUTS TO SHIP: 3 NUMBER OF BELTS TO SHIP: 3

FIELD OFFICE MANAGER: Ron Cates

TELEPHONE NUMBER: (281) 338-2787 FAX NUMBER: (281) 338-2788

SERVICE PROVIDED BY: GIPSA League City Field Office

ELEVATOR NAME AND ADDRESS: Cargill Houston Elevator

16150 Peninsular Boulevard Channelview, TX 77530

FACILITY OPERATOR: Cargill, Inc.

15407 McGinty Road West

Wayzata, MN 55391

ELEVATOR MANAGER: John Culmer
ELEVATOR SUPERINTENDENT: Marve Novotny
TELEPHONE NUMBER: (281) 457-7000
FAX NUMBER: (281) 457-7077

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 6.0 million bushels (157,800 metric tons)
LOADING CAPACITY (/HR) 190,000 bushels (5,000 metric tons)

NUMBER OF LEGS IN HOUSE: 7

WEIGHT SCALES: NUMBER: 7

LOCATION: 4 - Control Room (Hoppers) CSI 475

2 - Truck Dump (Hoppers) CSI 475 - 100,000 X 10

1 - Platform (Truck Dump)

TYPE: 4 - CSI Hoppers Full Electronic (2 - Rail, 2 - Truck)

2 - CSI Hoppers Full Electronic (Shippers) # 16 - 110,000 X 10, #23 - 120,000 X 10

1 - Platform Vehicle Full Electronic - 120,000 X 10

D/T SAMPLERS: NUMBER: 3

LOCATION: Headhouse After Scales

TYPE: Denver (1 - Hydraulic, 1 - Mechanical)

NUMBER OF SHIPPING BINS: None

CAPACITY OF EACH SHIPPING BIN: N/A

NUMBER OF SPOUTS TO SHIP: 12 NUMBER OF BELTS TO SHIP: 2

FIELD OFFICE MANAGER: Ron Cates

TELEPHONE NUMBER: (281) 338-2787 FAX NUMBER: (281) 338-2788

SERVICE PROVIDED BY: GIPSA Corpus Christi Suboffice

OFFICER IN CHARGE: Thomas H. Wane TELEPHONE NUMBER: (361) 888-3461 FAX NUMBER: (361) 888-3463

ELEVATOR NAME AND ADDRESS: ADM Growmark Elevator

2122 Navigation Boulevard (formerly - Corpus Corpus Christi, TX 78402 Christi Public)

FACILITY OPERATOR: Archer-Daniels-Midland Company

4666 Faries Parkway Decatur, IL 62525

MANAGER: Michael W. Shuyler TELEPHONE NUMBER: (361) 882-1956 FAX NUMBER: (361) 882-1998

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 5.0 million bushels (141,800 metric tons) LOADING CAPACITY (/HR) 150,000 bushels (4,200 metric tons)

NUMBER OF LEGS IN HOUSE: 6

WEIGHT SCALES: NUMBER: 6

LOCATION: 4 - Scale Floor in Headhouse

1 - Ground Level - East of Headhouses1 - Ground Level - West of Headhouse

TYPE: 4 - Morrison Full Electronic Hoppers

2 - Morrison Vehicle Full Electronic Hoppers

D/T SAMPLERS: NUMBER: 4

LOCATION: Sampler Floor in Headhouse

TYPE: International Stanley

NUMBER OF SURGE BINS: 4

CAPACITY OF EACH SURGE BIN: 8,000 bushels (200 metric tons)

NUMBER OF SPOUTS TO SHIP: 7 NUMBER OF BELTS TO SHIP: 4

FIELD OFFICE MANAGER: Ron Cates

TELEPHONE NUMBER: (281) 338-2787 FAX NUMBER: (281) 338-2788

SERVICE PROVIDED BY: GIPSA League City Field Office

ELEVATOR NAME AND ADDRESS: Farmland Elevator

3100 Wharf Road Galveston, TX 77550

FACILITY OPERATOR: Farmland Industries, Inc.

P. O. Box 7305 Dept. 406

Kansas City, Missouri 64116-0005

ELEVATOR MANAGER: Jerry Price
ELEVATOR SUPERINTENDENT: Brent Turner
TELEPHONE NUMBER: (409) 763-6443

FAX NUMBER: (409) 763-8608

TYPE OF OPERATION: Shipping Bins

STORAGE CAPACITY: 2.8 million bushels (73,700 metric tons)
LOADING CAPACITY (/HR) 80,000 bushels (3,200 metric tons)

NUMBER OF LEGS IN HOUSE: 0

WEIGHT SCALES: NUMBER: 6

LOCATION: Control Room (Ships)

Truck Dump (Trucks)

TYPE: 5 - Compuweigh 2000 Hoppers Full Electronic

1 - Fairbanks-Morrison Platform Truck Scale

1,2 - 48,000 X 10 3,4,5 - 40,000 X 10

D/T SAMPLERS: NUMBER: 5

LOCATION: 4'th Floor, End of Belts TYPE: International Stanley

NUMBER OF SHIPPING BINS: 9

CAPACITY OF EACH SHIPPING BIN: :20,000 bushels (570 metric tons)

NUMBER OF SPOUTS TO SHIP: 3
NUMBER OF BELTS TO SHIP: 2

FIELD OFFICE MANAGER: Ron Cates

TELEPHONE NUMBER: (281) 338-2787 FAX NUMBER: (281) 338-2788

SERVICE PROVIDED BY: GIPSA League City Field Office

ELEVATOR NAME AND ADDRESS: Louis Dreyfus Elevator

1500 Main Street (formerly - Houston

Post Office Box 28 Public Grain
Galena Park, TX 77547 Elevator No. 2)

FACILITY OPERATOR: Louis Dreyfus Corporation

10 Westport Road (P. O. Box 810)

Wilton, CT 06897-0810

ELEVATOR MANAGER: Bill Mullins

TELEPHONE NUMBER: (713) 671-7100

ASSISTANT MANAGER: Bob Myers
ELEVATOR SUPERINTENDENT: Joe Olivier
FAX NUMBER: (713) 671-7141

TYPE OF OPERATION: Shipping Bins

STORAGE CAPACITY: 6.0 million bushels (157,800 metric tons)
LOADING CAPACITY (/HR) 75,000 bushels (2,000 metric tons)

NUMBER OF LEGS IN HOUSE: 8

WEIGHT SCALES: NUMBER: 7

LOCATION: 2 - Control Room (Shipping) - 70,000 X 10

2 - Truck Dump (Receiving) - 120,000 X 20 3 - Track Scales (Receiving) - 300,000 X 50

TYPE: 2 - Morrison T5000M (Shipping Scales)

2 - UMC 600 (Truck Scales)

3 - Track Scales (2 - UMC 600 & 1 - UMC 555)

D/T SAMPLERS: NUMBER: 2

LOCATION: 4'th Floor TYPE: Gamet

NUMBER OF SHIPPING BINS: 6

CAPACITY OF EACH SHIPPING BIN: 10,000 bushels (210 metric tons)

NUMBER OF SPOUTS TO SHIP: 3 NUMBER OF BELTS TO SHIP: 5

FIELD OFFICE MANAGER: Ron Cates

TELEPHONE NUMBER: (281) 338-2787 FAX NUMBER: (281) 338-2788

SERVICE PROVIDED BY: GIPSA Corpus Christi Suboffice

OFFICER IN CHARGE: Thomas H. Wane TELEPHONE NUMBER: (361) 888-3461 FAX NUMBER: (361) 888-3463

ELEVATOR NAME AND ADDRESS: Interstate Grain Port Terminal

5700 Upriver Road

Corpus Christi, TX 78407

FACILITY OPERATOR: Interstate Grain Corporation

Post Office Box 9924 Corpus Christi, TX 78469

ELEVATOR & OFFICE MANAGER: Lloyd Schultz TELEPHONE NUMBER: (361) 289-5651

ELEVATOR SUPERINTENDENT: Doug Klaevemann TELEPHONE NUMBER: (361) 289-0401 FAX NUMBER: (361) 289-5653

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 6.3 million bushels (178,700 metric tons)
LOADING CAPACITY (/HR) 60,000 bushels (1,700 metric tons)

NUMBER OF LEGS IN HOUSE: 5 WEIGHT SCALES: NUMBER: 5

LOCATION: 2 - Scale Floor in Headhouse

2 - Outside Office

1 - Rail Dump Location

TYPE: 2 - Morrison Levertronic Hopper Bulkweighers

2 - Morrison Vehicle Levertronic

1 - Morrison Full Electronic Hopper Bulkweigher

D/T SAMPLERS: NUMBER: 2

LOCATION: Sampler Floor in Headhouse

TYPE: International Stanley

NUMBER OF SURGE BINS: 4

CAPACITY OF EACH SURGE BIN: 15,000 bushels (400 metric tons)

NUMBER OF SPOUTS TO SHIP: 5 NUMBER OF BELTS TO SHIP: 2

FIELD OFFICE MANAGER: Ron Cates

TELEPHONE NUMBER: (281) 338-2787 FAX NUMBER: (281) 338-2788

SERVICE PROVIDED BY: GIPSA Corpus Christi Suboffice

OFFICER IN CHARGE: Thomas H. Wane TELEPHONE NUMBER: (361) 888-3461 FAX NUMBER: (361) 888-3463

ELEVATOR NAME AND ADDRESS: Port Elevator - Brownsville, LC

9155 R. L. Ostos Road (formerly Continental

Brownsville, TX 78521 Grain)

FACILITY OPERATOR: Port Elevator - Brownsville, LC

9155 R. L. Ostos Road Brownsville, TX 78521

ELEVATOR MANAGER: Craig Elkins
ELEVATOR SUPERINTENDENT: Bobby Fielding
TELEPHONE NUMBER: (956) 831-8245
FAX NUMBER: (956) 831-3181

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 3.0 million bushels (85,100 metric tons) LOADING CAPACITY (/HR) 50,000 bushels (1,400 metric tons)

NUMBER OF LEGS IN HOUSE: 4 WEIGHT SCALES: NUMBER: 3

LOCATION: 2 - Scale Floor # 154 in Headhouse

1 - Ground Level Outside Office

TYPE: 2 - Toledo Full Electronic Hoppers

1 - Toledo Vehicle Levertronic

D/T SAMPLERS: NUMBER: 2

LOCATION: Sampler Floor # 140 in Headhouse

TYPE: International Stanley

NUMBER OF SURGE BINS: 3

CAPACITY OF EACH SURGE BIN: #13 - 7,582 bushels (210 metric tons)

#14 - 8,284 bushels (230 metric tons) #23 - 5,997 bushels (170 metric tons)

NUMBER OF SPOUTS TO SHIP: 2 NUMBER OF BELTS TO SHIP: 2

FIELD OFFICE MANAGER: Steve Bennett

TELEPHONE NUMBER: (612) 335-4095 FAX NUMBER: (612) 335-4094

SUBOFFICE: GIPSA Duluth/Superior Suboffice

OFFICER IN CHARGE: Ted Respet
TELEPHONE NUMBER: (715) 392-7677
FAX NUMBER: (715) 392-7741

SERVICE PROVIDED BY: Minnesota Department of Agriculture

DIRECTOR: Dale Heimermann
TELEPHONE NUMBER: (612) 341-7190
FAX NUMBER: (612) 349-2616

ELEVATOR NAME AND ADDRESS: AGP Grain

600 Garfield Avenue Duluth, MN 55802

FACILITY OPERATOR: AGP, L. P.

1717 Burt Street Omaha, NE 68154

ELEVATOR MANAGER: Tom Grosser
TELEPHONE NUMBER: (218) 722-0538
ELEVATOR SUPERINTENDENT: Thomas A. Miller
TELEPHONE NUMBER: (218) 722-6506
FAX NUMBER: (218) 722-0076
TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 4.2 million bushels (121,500 metric tons)
LOADING CAPACITY (/HR) 50,000 bushels (1,400 metric tons)

NUMBER OF LEGS IN HOUSE: 14 WEIGHT SCALES: NUMBER: 7

LOCATION: Scale Floor (Hoppers)

South of Workhouse (Vehicle Scale)

TYPE: 5 - Compuweigh Hopper Full Electronic

1 - Fairbanks Hopper MCPB1 - Fairbanks Vehicle MTRB

D/T SAMPLERS: NUMBER: 6

LOCATION: Spout Floor

TYPE: International Stanley

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

NUMBER OF SPOUTS TO SHIP: 1 NUMBER OF BELTS TO SHIP: None

FIELD OFFICE MANAGER: Steve Bennett

TELEPHONE NUMBER: (612) 335-4095 FAX NUMBER: (612) 335-4094

SUBOFFICE: GIPSA Duluth/Superior Suboffice

OFFICER IN CHARGE: Ted Respet
TELEPHONE NUMBER: (715) 392-7677
FAX NUMBER: (715) 392-7741

SERVICE PROVIDED BY: Minnesota Department of Agriculture

DIRECTOR: Dale Heimermann
TELEPHONE NUMBER: (612) 341-7190
FAX NUMBER: (612) 349-2616

ELEVATOR NAME AND ADDRESS: Cargill Duluth Elevator and Terminal

(Cargill "B")

250 Garfield Avenue Duluth, MN 55802

FACILITY OPERATOR: Cargill, Inc.

15407 McGinty Road West

Wayzata, MN 55391

ELEVATOR MANAGER & SUP'T: John Kauk

TELEPHONE NUMBER: (218) 727-7219 FAX NUMBER: (218) 727-8718 TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 9.8 million bushels (283,500 metric tons)

LOADING CAPACITY (/HR) 140,000 bushels (4,000 metric tons) (2 Docks)

NUMBER OF LEGS IN HOUSE: 8 WEIGHT SCALES: NUMBER: 8

LOCATION: Scale Floor (Hoppers), Control Room (Readouts)

TYPE: 1 - Compuweigh Hopper Full Electronic

2 - Fairbanks-Morse Vehicle MTRB5 - B & R Hoppers Full Electronic

D/T SAMPLERS: NUMBER: 7

LOCATION: 4 - Off Leg Discharge Spouts

1 - Below Scale 14 Lower Garner

2 - End of Transfer Belt From Truck Receiving Hoppers

TYPE: 5 - Denver, 2 - Gamet

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

NUMBER OF SPOUTS TO SHIP: 6 NUMBER OF BELTS TO SHIP: 3

FIELD OFFICE MANAGER: Steve Bennett

TELEPHONE NUMBER: (612) 335-4095 FAX NUMBER: (612) 335-4094

SUBOFFICE: GIPSA Duluth/Superior Suboffice

OFFICER IN CHARGE: Ted Respet
TELEPHONE NUMBER: (715) 392-7677
FAX NUMBER: (715) 392-7741

SERVICE PROVIDED BY: Minnesota Department of Agriculture

DIRECTOR: Dale Heimermann
TELEPHONE NUMBER: (612) 341-7190
FAX NUMBER: (612) 349-2616

ELEVATOR NAME AND ADDRESS: General Mills - Elevator "A"

200 Garfield Avenue Duluth, MN 55802

FACILITY OPERATOR: General Mills, Inc.

One General Mills Boulevard Minneapolis, MN 55246

ELEVATOR & OFFICE MANAGER: Douglas Christiansen

TELEPHONE NUMBER: (218) 722-7759 FAX NUMBER: (218) 727-7956 TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 3.792 million bushels (109,700 metric tons)

LOADING CAPACITY (/HR) 60,000 bushels (1,700 metric tons)

NUMBER OF LEGS IN HOUSE: 8 WEIGHT SCALES: NUMBER: 9

LOCATION: Scale Floor (Hoppers)

West of Annex (Vehicles)

TYPE: 7 - Howe-Richardson Hopper Levertronic

1 - Fairbanks-Morse Vehicle MTRB1 - Fairbanks-Morse Hopper MCPB

D/T SAMPLERS: NUMBER: 2

LOCATION: Bin Floor & Annex TYPE: International Stanley

NUMBER OF SURGE BINS: 4 (Not In Use)

CAPACITY OF EACH SURGE BIN: 2,000 bushels (57 metric tons)

NUMBER OF SPOUTS TO SHIP: 1
NUMBER OF BELTS TO SHIP: 1

FIELD OFFICE MANAGER: Steve Bennett

TELEPHONE NUMBER: (612) 335-4095 FAX NUMBER: (612) 335-4094

SUBOFFICE: GIPSA Duluth/Superior Suboffice

OFFICER IN CHARGE: Ted Respet
TELEPHONE NUMBER: (715) 392-7677
FAX NUMBER: (715) 392-7741

SERVICE PROVIDED BY: Wisconsin Department of Agriculture, Trade and Consumer

Protection

MANAGER: Michael Granlund
TELEPHONE NUMBER: (715) 392-7851
FAX NUMBER: (715) 392-7847

ELEVATOR NAME AND ADDRESS: Cenex Harvest States Cooperatives # 1

41 Dock Street Superior, WI 54880

FACILITY OPERATOR: Cenex Harvest States Cooperatives

Post Office Box 64089 St. Paul, MN 55164-0089

ELEVATOR MANAGER: Lance Helgeson HOUSE SUPERINTENDENT: Conrad Erickson TELEPHONE NUMBER: (715) 392-4734 FAX NUMBER: (715) 394-6926 TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 7.5 million bushels (217,000 metric tons)
LOADING CAPACITY (/HR) 65,000 bushels (1,880 metric tons)

NUMBER OF LEGS IN HOUSE: 4 WEIGHT SCALES: NUMBER: 5

LOCATION: Scale Floor (Hoppers), Control Room (Readout)

East of Annex (Trucks)

TYPE: 3 - Compuweigh Hoppers Full Electronic 1 - Compuweigh Vehicle Full Electronic

1 - Compuweigh Track Full Electronic

D/T SAMPLERS: NUMBER: 7

LOCATION: 3 - Spout Floor 2 - Top of Jack Legs

1 - Gallery Belt 1 - Shipping Conveyor

TYPE: International Stanley

NUMBER OF SURGE BINS: 3

CAPACITY OF EACH SURGE BIN: 5,000 bushels (144 metric tons)

NUMBER OF SPOUTS TO SHIP: 8 NUMBER OF BELTS TO SHIP: 3

FIELD OFFICE MANAGER: Steve Bennett

TELEPHONE NUMBER: (612) 335-4095 FAX NUMBER: (612) 335-4094

SUBOFFICE: IPSA Duluth/Superior Suboffice

OFFICER IN CHARGE: Ted Respet
TELEPHONE NUMBER: (715) 392-7677
FAX NUMBER: (715) 392-7741

SERVICE PROVIDED BY: Wisconsin Department of Agriculture, Trade and Consumer

Protection

MANAGER: Michael Granlund TELEPHONE NUMBER: (715) 392-7851 FAX NUMBER: (715) 392-7847

ELEVATOR NAME AND ADDRESS: Cenex Harvest States Cooperatives # 2

41 Dock Street Superior, WI 54880

FACILITY OPERATOR: Cenex Harvest States Cooperatives

Post Office Box 64089 St. Paul, MN 55164-0089

ELEVATOR MANAGER: Lance Helgeson TELEPHONE NUMBER: (715) 392-4734 HOUSE SUPERINTENDENT: Brian Martin TELEPHONE NUMBER: (715) 394-3193 FAX NUMBER: (715) 394-6926 TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 11 million bushels (318,300 metric tons) LOADING CAPACITY (/HR) 65,000 bushels (1,880 metric tons)

NUMBER OF LEGS IN HOUSE: 5 WEIGHT SCALES: NUMBER: 6

LOCATION: Scale Floor; Distribution Floor, Control Room (Readouts)

TYPE: 5 - Compuweigh Hoppers Full Electronic

1 - Compuweigh Track Full Electronic

D/T SAMPLERS: NUMBER: 5

LOCATION: Spout Floor, Top of Jack Leg

TYPE: International Stanley

NUMBER OF SURGE BINS: 5

CAPACITY OF EACH SURGE BIN: 5,000 bushels (144 metric tons)

NUMBER OF SPOUTS TO SHIP: 5

NUMBER OF BELTS TO SHIP: 1 (To Shipping Bin # 5)

FIELD OFFICE MANAGER: Steve Bennett

TELEPHONE NUMBER: (612) 335-4095 FAX NUMBER: (612) 335-4094

SERVICE PROVIDED BY: Wisconsin Department of Agriculture, Trade and Consumer

Protection

MANAGER: Jerry Nault
TELEPHONE NUMBER: (414) 747-0377
FAX NUMBER: (414) 747-0959

ELEVATOR NAME AND ADDRESS: Chicago & Illinois River

Marketing LLC Elevator

960 East Bay Street (formerly Continental

Milwaukee, WI 53207 KK Elevator)

FACILITY OPERATOR: Chicago & Illinois River Marketing, LLC

960 E. Bay Street Milwaukee, WI 53207

ELEVATOR MANAGER & SUP'T: Richard Blaylock TELEPHONE NUMBER: (414) 481-7250

OFFICE MANAGER: Vicky Maki

TELEPHONE NUMBER: (414) 482-1900 FAX NUMBER: (414) 482-1733

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 3 million bushels (94,000 metric tons) LOADING CAPACITY (/HR) 40,000 bushels (1,200 metric tons)

NUMBER OF LEGS IN HOUSE: 9 WEIGHT SCALES: NUMBER: 8

LOCATION: 6 - Headhouse

2 - Ground Level

TYPE: 6 - Morrison Full Electronic Hoppers

1 - Vehicle Levertronic-Weightronic1 - Vehicle Full Electronic - Weightronic

D/T SAMPLERS: NUMBER: 4

LOCATION: Distribution Floor

TYPE: International Stanley

NUMBER OF SURGE BINS: 12

CAPACITY OF EACH SURGE BIN: 2,500 bushels (70 metric tons)

NUMBER OF SPOUTS TO SHIP: 6 NUMBER OF BELTS TO SHIP: 6

FIELD OFFICE MANAGER: Steve Bennett

TELEPHONE NUMBER: (612) 335-4095 FAX NUMBER: (612) 335-4094

SUBOFFICE: GIPSA Duluth/Superior Suboffice

OFFICER IN CHARGE: Ted Respet
TELEPHONE NUMBER: (715) 392-7677
FAX NUMBER: (715) 392-7741

SERVICE PROVIDED BY: Wisconsin Department of Agriculture, Trade and Consumer

Protection

MANAGER: Michael Granlund TELEPHONE NUMBER: (715) 392-7851 FAX NUMBER: (715) 392-7847

ELEVATOR NAME AND ADDRESS: Peavey Connor's Point Elevator

400 N. Main

Superior, WI 54880

FACILITY OPERATOR: Peavey Company, A Division of ConAgra, Inc.

11 ConAgra Drive Omaha, NE 68102

ELEVATOR MANAGER & SUP'T: Mick Sertick

OFFICE MANAGER: Dave Lundeen

TELEPHONE NUMBER: (715) 392-4853 FAX NUMBER: (715) 392-9874 TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 9 million bushels (260,400 metric tons) LOADING CAPACITY (/HR) 75,000 bushels (2,200 metric tons)

NUMBER OF LEGS IN HOUSE: 6 WEIGHT SCALES: NUMBER: 9

LOCATION: 1 - South (Hopper Scale); 1 - North (Track Scale)

2 - South (Truck Scales);2 - South End (Track Scales);3 - Scale Floor (Hoppers), Readout in Marine Gallery

TYPE: 4 - Toledo Hoppers, 2 - Toledo Vehicle

1 - Toledo Track, 2 - Howe-Richardson Track

D/T SAMPLERS: NUMBER: 2

LOCATION: Marine Gallery

TYPE: Strand

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

NUMBER OF SPOUTS TO SHIP: 6 NUMBER OF BELTS TO SHIP: 4

FIELD OFFICE MANAGER: Steve Bennett

TELEPHONE NUMBER: (612) 335-4095 FAX NUMBER: (612) 335-4094

SUBOFFICE: GIPSA Duluth/Superior Suboffice

OFFICER IN CHARGE: Ted Respet
TELEPHONE NUMBER: (715) 392-7677
FAX NUMBER: (715) 392-7741

SERVICE PROVIDED BY: Wisconsin Department of Agriculture, Trade and Consumer

Protection

MANAGER: Michael Granlund
TELEPHONE NUMBER: (715) 392-7851
FAX NUMBER: (715) 392-7847

ELEVATOR NAME AND ADDRESS: General Mills - Annex B

BN Dock

Superior, Wisconsin

FACILITY OPERATOR: General Mills, Inc.

One General Mills Boulevard Minneapolis, MN 55426

ELEVATOR MANAGER & SUP'T: Douglas Christiansen TELEPHONE NUMBER: (218) 722-7759 FAX NUMBER: (218) 727-7956

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 3.4 million bushels (387,700 metric tons)
LOADING CAPACITY (/HR) 60,000 bushels (1,700 metric tons)

NUMBER OF LEGS IN HOUSE: 18 WEIGHT SCALES: NUMBER: 18

LOCATION: Scale Floor

TYPE: Compuweigh Hopper Full Electronic

D/T SAMPLERS: NUMBER: 18

LOCATION: Machine Floor (Top Floor)

TYPE: Strand

NUMBER OF SURGE BINS: 3

CAPACITY OF EACH SURGE BIN: 10,000 Bushels (290 metric tons)

NUMBER OF SPOUTS TO SHIP: 3 NUMBER OF BELTS TO SHIP 3

FIELD OFFICE MANAGER: Dave Grady

TELEPHONE NUMBER: (514) 392-9798 FAX NUMBER: (514) 392-9766

SERVICE PROVIDED BY: Canadian Grain Commission

REGIONAL DIRECTOR: Jim Stuart

TELEPHONE NUMBER: (514) 283-3873 FAX NUMBER: (514) 283-7699

ELEVATOR NAME AND ADDRESS: ADM Agri-Industries L.T.D.

5550 Maple Wood Drive

Windsor, Ontario, Canada N9C 3Z1

FACILITY OPERATOR: ADM Agri-Industries L.T.D.

5550 Maple Wood Drive

Windsor, Ontario, Canada N9C 3Z1

ELEVATOR SUPERINTENDENT: Peter McManus TELEPHONE NUMBER: (519) 972-4512 FAX NUMBER: (519) 966-7135

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 4.1 million bushels (110,000 metric tons)
LOADING CAPACITY (/HR) 36,744 bushels (1,000 metric tons)

NUMBER OF LEGS IN HOUSE: 4 WEIGHT SCALES: NUMBER: 2

LOCATION: Workhouse (scale floor)
TYPE: Consolidated Control

D/T SAMPLERS: NUMBER: 4

LOCATION: Head House Leg & Below Shipping Bin

TYPE: International Stanley

NUMBER OF SHIPPING BINS: 1

CAPACITY OF EACH SHIPPING BIN: 150 metric tons

NUMBER OF SPOUTS TO SHIP: 1 NUMBER OF BELTS TO SHIP 1

FIELD OFFICE MANAGER: Dave Grady

TELEPHONE NUMBER: (514) 392-9798 FAX NUMBER: (514) 392-9766

SERVICE PROVIDED BY: Canadian Grain Commission

REGIONAL DIRECTOR: Jim Stuart

TELEPHONE NUMBER: (514) 283-3873 FAX NUMBER: (514) 283-7699

ELEVATOR NAME AND ADDRESS: Bunge of Canada Limited

300 Dalhousie Street

Quebec City, Quebec, Canada G1K 7R3

FACILITY OPERATOR: Bunge of Canada Limited

300 Dalhousie Street

Quebec City, Quebec, Canada G1K 7R3

PRESIDENT & DIRECTOR: Joan-Guy St. Onge SEC., CONT'LR & DIRECTOR: Conrad Desnoyers VP, TREAS. & DIRECTOR: Terrance G. Dugal ELEVATOR MANAGER: Fernand Roy TELEPHONE NUMBER: (418) 692-3761

FAX NUMBER: (418) 692-0182

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 8.0 million bushels (224,000 metric tons) LOADING CAPACITY (/HR) 184,000 bushels (5,000 metric tons)

NUMBER OF LEGS IN HOUSE: 12

WEIGHT SCALES: NUMBER: 12 - 4 - domestic; 4 - receiving; 4 - outbound;

LOCATION: Master Control Room

TYPE: 12 - Compuweigh Series C. D. 2000

D/T SAMPLERS: NUMBER: 3

LOCATION: On Belts in Gallery
TYPE: International Stanley

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

NUMBER OF SPOUTS TO SHIP: 3 NUMBER OF BELTS TO SHIP 3

FIELD OFFICE MANAGER: Dave Grady

TELEPHONE NUMBER: (514) 392-9798 FAX NUMBER: (514) 392-9766

SERVICE PROVIDED BY: Canadian Grain Commission

REGIONAL DIRECTOR: Jim Stuart

TELEPHONE NUMBER: (514) 283-3873 FAX NUMBER: (514) 283-7699

ELEVATOR NAME AND ADDRESS: Cargill Elevator

Route Maritime

Baie Comeau, Quebec, Canada G4Z 2L6

FACILITY OPERATOR: Cargill Limited

Route Maritime

Baie Comeau, Quebec, Canada G4Z 2L6

OPERATIONS MANAGER: Leopold Felix
OFFICE MANAGER: Yolaine Heppell
ELEVATOR SUPERINTENDENT: Jeannot Cyr
TELEPHONE NUMBER: (418) 296-2233
FAX NUMBER: (418) 296-0253

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 17.2 million bushels (468,700 metric tons) LOADING CAPACITY (/HR) 106,000 bushels (2,900 metric tons)

NUMBER OF LEGS IN HOUSE: 3, Plus 1 small jack leg

WEIGHT SCALES: NUMBER: 3 - 2 - shipping; 1 - receiving

LOCATION: Headhouse

TYPE: Compudraft Series 2000

D/T SAMPLERS: NUMBER: 3

LOCATION: Beginning of Loading Belts in Shipping Galleries

TYPE: Denver

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A NUMBER OF SPOUTS TO SHIP: 13 NUMBER OF BELTS TO SHIP 2

FIELD OFFICE MANAGER: Dave Grady

TELEPHONE NUMBER: (514) 392-9798 FAX NUMBER: (514) 392-9766

SERVICE PROVIDED BY: Canadian Grain Commission

REGIONAL DIRECTOR: Jim Stuart

TELEPHONE NUMBER: (514) 283-3873 FAX NUMBER: (514) 283-7699

ELEVATOR NAME AND ADDRESS: Port of Montreal - Elevator No. 4

Port of Montreal Building, Wing No. 1

Cite du Havre

Montreal, Quebec, Canada H3C 3R5

FACILITY OPERATOR: Port of Montreal Corporation

Port of Montreal Building, Wing No. 1

Cite du Havre

Montreal, Quebec, Canada H3C 3R5

CHIEF OF SERVICE: Gaston Heppell

ELEVATOR SUPERINTENDENT: Richard Chamberland TELEPHONE NUMBER: (514) 283-6948

FAX NUMBER: (514) 283-1502

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 9.9 million bushels (269,500 metric tons)
LOADING CAPACITY (/HR) 220,000 bushels (6,000 metric tons)

NUMBER OF LEGS IN HOUSE: 8

WEIGHT SCALES: NUMBER: 11 - 8 - shipping; 3 - receiving

LOCATION: Center of Building

TYPE: Great Western Scale Company of Canada

D/T SAMPLERS: NUMBER: 3

LOCATION: Gallery

TYPE: Inter Systems, Inc. (Spout Samplers)

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

NUMBER OF SPOUTS TO SHIP: 3 NUMBER OF BELTS TO SHIP 3

FIELD OFFICE MANAGER: Dave Grady

TELEPHONE NUMBER: (514) 392-9798 FAX NUMBER: (514) 392-9766

SERVICE PROVIDED BY: Canadian Grain Commission

REGIONAL DIRECTOR: Jim Stuart

TELEPHONE NUMBER: (514) 283-3873 FAX NUMBER: (514) 283-7699

ELEVATOR NAME AND ADDRESS: James Richardson International

P. O. Box 36

Sorel, Quebec, Canada J3P 5N6

FACILITY OPERATOR: James Richardson International

1570 Ampere, Room 500

Boucherville, Quebec, Canada J4B 7L4

ELEVATOR MANAGER: J. Henri Blanchard ELEVATOR SUPT.: Serge Cournoyer TELEPHONE NUMBER: (514) 743-3893 FAX NUMBER: (514) 449-7780

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 5.5 million bushels (151,000 metric tons)

LOADING CAPACITY (/HR) 4,500 bushels

NUMBER OF LEGS IN HOUSE: 8

WEIGHT SCALES: NUMBER: 6

LOCATION: 6'th Floor, Workhouse (Shipping)

2'nd Floor, Receiving Tower (Receiving)

TYPE: Western Scale Electronic

D/T SAMPLERS: NUMBER: 3

LOCATION: End of Loading Belts

TYPE: Gamet

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

NUMBER OF SPOUTS TO SHIP: 3 at 1500 metric tons/hr NUMBER OF BELTS TO SHIP 2 at 2250 metric tons/hr

FIELD OFFICE MANAGER: Dave Grady

TELEPHONE NUMBER: (514) 392-9798 FAX NUMBER: (514) 392-9766

SERVICE PROVIDED BY: Canadian Grain Commission

REGIONAL DIRECTOR: Jim Stuart

TELEPHONE NUMBER: (514) 283-3873 FAX NUMBER: (514) 283-7699

ELEVATOR NAME AND ADDRESS: Les Elevateurs des Trois Rivieres

P. O. Box 35

Trois Rivieres, Quebec, Canada G9A 5B3

FACILITY OPERATOR: Les Elevateurs des Trois Rivieres

P. O. Box 35

Trois Rivieres, Quebec, Canada G9A 5B3

ELEVATOR MANAGER: Gilles Morin

OFFICE MANAGER: Guy Bureau

TELEPHONE NUMBER: (819) 374-6203 FAX NUMBER: (819) 374-6392

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 4.0 million bushels (110,000 metric tons)
LOADING CAPACITY (/HR) 90,000 bushels (2,500 metric tons)

NUMBER OF LEGS IN HOUSE: 3

WEIGHT SCALES: NUMBER: 5 - 2 - Inbound; 3 - Outbound

LOCATION: House No. 2 (Inbound)

House No. 1 (Outbound)

TYPE: 4 Compuweigh 2000

1 Compuweigh 1000

D/T SAMPLERS: NUMBER: 3

LOCATION: Bottom of Shipping Garners

TYPE: International Stanley

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

NUMBER OF SPOUTS TO SHIP: 3

NUMBER OF BELTS TO SHIP 3 (only 2 are used)

FIELD OFFICE MANAGER: Dave Grady

TELEPHONE NUMBER: (514) 392-9798 FAX NUMBER: (514) 392-9766

SERVICE PROVIDED BY: Canadian Grain Commission

REGIONAL DIRECTOR: Jim Stuart

TELEPHONE NUMBER: (514) 283-3873 FAX NUMBER: (514) 283-7699

ELEVATOR NAME AND ADDRESS: Les Silos Port-Cartier (Range Grain Company)

P. O. Box 400

Port Cartier, Quebec, Canada G9B 2G7

FACILITY OPERATOR: Range Grain Company Ltd.

360 Main Street, Suite 1690

Winnipeg, Manitoba, Canada R3C 3Z3

COMPTROLLER: Dieter E. Kloss
TELEPHONE NUMBER: (514) 844-9391
MANAGING DIRECTOR: Christian Ouellet
TELEPHONE NUMBER: (418) 766-2515
FAX NUMBER: (418) 766-4136

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 10.5 million bushels (293,000 metric tons)

LOADING CAPACITY (/HR) 110,200 bushels (3,440 metric tons)

NUMBER OF LEGS IN HOUSE: 7 - 3 - Receiving; 4 - Shipping

WEIGHT SCALES: NUMBER: 7 - 3 - Receiving; 4 - Shipping

LOCATION: Headhouse TYPE: Bulktronic

D/T SAMPLERS: NUMBER: 5 - 2 - Shipping; 3 - Receiving

LOCATION: On Belts to Ship in Gallery

TYPE: Gamet

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

NUMBER OF SPOUTS TO SHIP: 6 NUMBER OF BELTS TO SHIP 2

FIELD OFFICE MANAGER: John H. Shropshire TELEPHONE NUMBER: (504) 764-2324 FAX NUMBER: (504) 764-0732

SERVICE PROVIDED BY: GIPSA New Orleans Field Office

ELEVATOR NAME AND ADDRESS: ADM/Growmark - Ama Elevator MILE: 117.5

P. O. Box 97

11079 HWY 18 (River Road)

Ama, LA 70031

FACILITY OPERATOR: Archer-Daniels-Midland Company

4666 Faries Parkway Decatur, IL 62525

ELEVATOR MANAGER: Warren Duffy, Jr. VESSEL COORDINATOR: Darryl Peltier TELEPHONE NUMBER: (504) 431-8245

SUPERINTENDENT: Mike Landry & Steve Rockweiler

TELEPHONE NUMBER: (504) 431-8421 FAX NUMBER: (504) 431-7275

TYPE OF OPERATION: Shipping Bin

STORAGE CAPACITY: 5.0 million bushels (141,800 metric tons)
LOADING CAPACITY (/HR) 80,000 bushels (2,300 metric tons)

NUMBER OF LEGS IN HOUSE: 6, Plus 2 Dryer Legs Partially in the House

WEIGHT SCALES: NUMBER: 6

LOCATION: 5 - 9'th Floor

1 - Between River & Levee

TYPE: Compuweigh Hopper Full Electronic Series 2000

D/T SAMPLERS: NUMBER: 6 Export, 1 Inbound

LOCATION: 8'th Floor, After Lower Garner Before Shipping Bins

TYPE: 1 - International Stanley

4 - Modified Strand 1 - Carter-Day Secondary

NUMBER OF SHIPPING BINS: 16

CAPACITY OF EACH SHIPPING BIN: 8 - 20,000 bushels (570 metric tons)

8 - 40,000 bushels (1,100 metric tons)

NUMBER OF SPOUTS TO SHIP: 4 Drags

NUMBER OF BELTS TO SHIP: 2

FIELD OFFICE MANAGER: John H. Shropshire

TELEPHONE NUMBER: (504) 764-2324 FAX NUMBER: (504) 764-0732

SERVICE PROVIDED BY: GIPSA New Orleans Field Office

ELEVATOR NAME AND ADDRESS: ADM/Growmark - Destrehan Elevator

12710 River Road MILE: 121.0

Destrehan, LA 70047

FACILITY OPERATOR: Archer-Daniels-Midland Company

4666 Faries Parkway Decatur, IL 62525

ELEVATOR MANAGER: Warren Duffy, Jr. VESSEL COORDINATOR: Darryl Peltier ELEVATOR SUPERINTENDENT: Scott Walsh TELEPHONE NUMBER: (504) 764-7586 (504) 764-1888

TYPE OF OPERATION: Shipping Bin

STORAGE CAPACITY: 6.27 million bushels (177,900 metric tons)

LOADING CAPACITY (/HR) 80,000 bushels (2,300 metric tons)

NUMBER OF LEGS IN HOUSE: 8

WEIGHT SCALES: NUMBER: 8

LOCATION: 7 - 5'th Floor

1 - 2'nd Floor

TYPE: 6 - Morrison Hopper Full Electronic

2 - Compuweigh Series 2000 Full Electronic

D/T SAMPLERS: NUMBER: 1 Export, 1 Inbound (Official)

LOCATION: Above Shipping Scale #8

Head of RB-2 (Barge)

TYPE: Gamet

NUMBER OF SHIPPING BINS: 9

CAPACITY OF EACH SHIPPING BIN: 25,000 bushels (700 metric tons)

NUMBER OF SPOUTS TO SHIP: 7 NUMBER OF BELTS TO SHIP: 2

FIELD OFFICE MANAGER: John Shropshire

TELEPHONE NUMBER: (504) 764-2324 FAX NUMBER: (504) 764-0732

SERVICE PROVIDED BY: GIPSA New Orleans Field Office

ELEVATOR NAME AND ADDRESS: ADM/Growmark - Reserve Elevator

2032 HWY 44 (Jefferson Highway) MILE: 139.0

Reserve, LA 70084

FACILITY OPERATOR: Archer-Daniels-Midland Company

4666 Faries Parkway Decatur, IL 62525

ELEVATOR MANAGER: Warren Duffy, Jr. TELEPHONE NUMBER: (504) 431-8245 ELEVATOR SUPERINTENDENT: Floyd Sutton TELEPHONE NUMBER: (504) 536-1151 FAX NUMBER: (504) 536-1152

TYPE OF OPERATION: Shipping Bin

STORAGE CAPACITY: 3.6 million bushels (94,700 metric tons)
LOADING CAPACITY (/HR) 80,000 bushels (2,100 metric tons)

NUMBER OF LEGS IN HOUSE: 5

WEIGHT SCALES: NUMBER: 5

LOCATION: 4 - 6'th Floor (Hoppers)

1 - Dump Pit (Track Scale)

TYPE: 4 - Compuweigh 2000 Hoppers

1 - Howe-Richardson Track Full Electronic

D/T SAMPLERS: NUMBER: 4

LOCATION: Outbound Belts # 5 & 6 at Junction & Belt Gallery

Inbound Belt # 6 Near Tail Pulley

B-1 Tunnel at Head of Belt

TYPE: International Stanley

NUMBER OF SHIPPING BINS: 4

CAPACITY OF EACH SHIPPING BIN: 5,000 bushels (130 metric tons)

NUMBER OF SPOUTS TO SHIP: 3 NUMBER OF BELTS TO SHIP: 2

FIELD OFFICE MANAGER: John Shropshire

TELEPHONE NUMBER: (504) 764-2324 FAX NUMBER: (504) 764-2081

SERVICE PROVIDED BY: Alabama Department of Agriculture and Industries

ACTING CHIEF INSPECTOR: Richy Childree
TELEPHONE NUMBER: (334) 415-2531
FAX NUMBER: (334) 415-2535

ELEVATOR NAME AND ADDRESS: Farmers Grain Dealers Elevator

Alabama State Docks BLVD. & 11'th Street

Mobile, AL 36602 (formerly Alabama State Docks)

FACILITY OPERATOR: Farmers Grain Dealers, Inc.

Post Office Box 2805 Mobile, AL 36652

ELEVATOR MANAGER: Ike Johnston OFFICE MANAGER: Arthur Fitzgerald

TELEPHONE NUMBER: (334) 432-0075 FAX NUMBER: (334) 432-7424

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 1.0 million bushels (38,000 metric tons) LOADING CAPACITY (/HR) 50,000 bushels (1,330 metric tons)

NUMBER OF LEGS IN HOUSE: 5

WEIGHT SCALES: NUMBER: 2

LOCATION: 2 - Headhouse

TYPE: Not Reported

D/T SAMPLERS: NUMBER: 2

LOCATION: Headhouse Below Scales

TYPE: International Stanley

NUMBER OF SURGE BINS: 6

CAPACITY OF EACH SURGE BIN: 5,000 bushels (130 metric tons)

NUMBER OF SPOUTS TO SHIP: 2 NUMBER OF BELTS TO SHIP: 2

FIELD OFFICE MANAGER: John H. Shropshire

TELEPHONE NUMBER: (504) 764-2324 FAX NUMBER: (504) 764-0732

SERVICE PROVIDED BY: GIPSA New Orleans Field Office

ELEVATOR NAME AND ADDRESS: Bunge Grain Elevator MILE: 120.1

12442 River Road Destrehan, LA 70047

FACILITY OPERATOR: Bunge Corporation

11720 Borman Drive St. Louis, MO 63146

ELEVATOR MANAGER: Harold E. Reese

OFFICE MANAGER: Harold Venable

ELEVATOR SUPERINTENDENT: Robert Stanley
TELEPHONE NUMBER: (504) 764-6516
FAX NUMBER: (504) 725-8245

TYPE OF OPERATION: Shipping Bin

STORAGE CAPACITY: 6.2 million bushels (175,900 metric tons)
LOADING CAPACITY (/HR) 80,000 bushels (2,300 metric tons)

NUMBER OF LEGS IN HOUSE: 5

WEIGHT SCALES: NUMBER: 7 (2 not certified)

LOCATION: 5 - 6'th Floor

2 - Rail Unloading (not certified)

TYPE: 5 - Compuweigh Series 2000 Full Electronic

2 - B & R Electronic (car dump - not certified)

D/T SAMPLERS: NUMBER: 5 - Export, 1 Approved for Wheat Only

1 - Domestic (Not Certified)

LOCATION: 5'th Floor, After Lower Garner Before Shipping Bins

TYPE: 5 - Gamet

NUMBER OF SHIPPING BINS: 7

CAPACITY OF EACH SHIPPING BIN: 20,000 bushels (570 metric tons)

FIELD OFFICE MANAGER: John Shropshire

TELEPHONE NUMBER: (504) 764-2324 FAX NUMBER: (504) 764-0732

SERVICE PROVIDED BY: GIPSA New Orleans Field Office

ELEVATOR NAME AND ADDRESS: Cargill Terre Haute Elevator MILE: 140.0

2154 HWY 44 (River Road)

Reserve, LA 70084

FACILITY OPERATOR: Cargill, Inc.

15407 McGinty Road Wayzata, MN 55391

ELEVATOR MANAGER: Dale Theisen
ASSISTENT MANAGER: Todd Eisenbieze
TELEPHONE NUMBER: (504) 536-1500
FAX NUMBER: (504) 536-1515

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 7.743 million bushels (202,600 metric tons)

LOADING CAPACITY (/HR) 100,000 bushels (2,600 metric tons)

NUMBER OF LEGS IN HOUSE: 3

WEIGHT SCALES: NUMBER: 4

LOCATION: 4'th Floor Weigh Tower

TYPE: Compuweigh Hoppers Full Electronic

D/T SAMPLERS: NUMBER: 5

LOCATION: 5'th Floor, End of Belts at Head Pulley

TYPE: International Stanley

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

FIELD OFFICE MANAGER: John H. Shropshire

TELEPHONE NUMBER: (504) 764-2324 FAX NUMBER: (504) 764-0732

SERVICE PROVIDED BY: GIPSA New Orleans Field Office

ELEVATOR NAME AND ADDRESS: Cargill Westwego Elevator MILE: 102.8

933 River Road (formerly Continental

Westwego, LA 70094 Grain)

FACILITY OPERATOR: Cargill, Inc.

15407 McGinty Road Wayzata, MN 55391

ELEVATOR MANAGER: Jerry Gibson TELEPHONE NUMBER: (504) 436-5816

OFFICE MANAGER: Dianna Bologna

TELEPHONE NUMBER: (504) 436-5817
PLANT SUPERINTENDENT: Robert Taylor
TELEPHONE NUMBER: (504) 436-5814
FAX NUMBER: (504) 436-5812

TYPE OF OPERATION: Shipping Bin

STORAGE CAPACITY: 4.3 million bushels LOADING CAPACITY (/HR) 100,000 bushels/hr

NUMBER OF LEGS IN HOUSE: None

WEIGHT SCALES: NUMBER: 7

LOCATION: 1 - Screening Tower 2 - Car Dump

2 - Shipping Scale Tower 2 - New Barge System Tower

TYPE: 1 - Morrison T5000 M

6 - Compuweigh 2000

D/T SAMPLERS: NUMBER: 6

LOCATION: #'s 1 & 2 - Shipping #'s 3 & 4 - Rail Unloading

#'s 5 & 7 - Barge Unloading

TYPE: International Stanley Belt End

NUMBER OF SHIPPING BINS: 12

CAPACITY OF EACH SHIPPING BIN: 30,000 bushels

NUMBER OF SPOUTS TO SHIP: 6 (3 Drags)

NUMBER OF BELTS TO SHIP: 4

FIELD OFFICE MANAGER: John Shropshire

TELEPHONE NUMBER: (504) 764-2324 FAX NUMBER: (504) 764--0732

SERVICE PROVIDED BY: GIPSA New Orleans Field Office

ELEVATOR NAME AND ADDRESS: Delta Conveyor (FLOATING RIG)

6626 HWY 44 (River Road) MILE: 157.0

Convent, LA 70723

FACILITY OPERATOR: S.S.A. Delta Bulk

River Road

Convent, LA 70723

ELEVATOR MANAGER: Melvin Mai

OFFICE MANAGER: Deloris Mai

ELEVATOR SUPERINTENDENT: Fred Robinson
TELEPHONE NUMBER: (225) 562-7617
FAX NUMBER: (225) 562-7654

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: None

LOADING CAPACITY (/HR) 50,000 bushels (1,300 metric tons)

NUMBER OF LEGS IN HOUSE: None - Inclined Belt

WEIGHT SCALES: NUMBER: 1

LOCATION: Below Receiving Hopper

TYPE: Morrison Hopper Full Electronic

D/T SAMPLERS: NUMBER: 1

LOCATION: End of Inclined Shipping Belt - Bow of Vessel

TYPE: Gamet (Primary & Secondary)

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

FIELD OFFICE MANAGER: John H. Shropshire

TELEPHONE NUMBER: (504) 764-2324 FAX NUMBER: (504) 764-0732

SERVICE PROVIDED BY: GIPSA New Orleans Field Office

ELEVATOR NAME AND ADDRESS: Gemini (FLOATING RIG) MILE: 121.1

Mississippi River, Mile 121.1

Destrehan, LA 70047

FACILITY OPERATOR: Total Transportation, Inc.

104 Campus Drive East, # 102

Destrehan, LA 70047

PRESIDENT: Steve Talbot ELEVATOR MANAGER: Ken Wenning TELEPHONE NUMBER: (504) 764-9917 FAX NUMBER: (504) 764-2619

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: None

LOADING CAPACITY (/HR) 25,000 - 30,000 bushels (700 - 800 metric tons)

NUMBER OF LEGS IN HOUSE: 4

WEIGHT SCALES: NUMBER: 1

LOCATION: Center of Rig in Lower Tower Section

TYPE: Compuweigh Series 2000

D/T SAMPLERS: NUMBER: 1

LOCATION: Between Shipping Leg Head & Loading Boom

TYPE: Gamet

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

NUMBER OF SPOUTS TO SHIP: 1

NUMBER OF BELTS TO SHIP: None

FIELD OFFICE MANAGER: John H. Shropshire TELEPHONE NUMBER: (504) 764-2324 FAX NUMBER: (504) 764-0732

SERVICE PROVIDED BY: GIPSA New Orleans Field Office

ELEVATOR NAME AND ADDRESS: Cenex Harvest States - Myrtle Grove Terminal

434 East Ravenna Road

Belle Chasse, LA 70037 Mile: 61.0

FACILITY OPERATOR: Cenex-Harvest States Cooperatives

Post Office Box 64089 St. Paul, MN 55164-0089

ELEVATOR MANAGER: James M. Cook ELEVATOR SUPERINTENDENT: John Cantatella

OFFICE MANAGER: Jamie Rood

TELEPHONE NUMBER: (504) 656-2212 FAX NUMBER: (504) 656-7296

TYPE OF OPERATION: Direct Load & Shipping Bin

STORAGE CAPACITY: 6.5 million bushels LOADING CAPACITY (/HR) 90,000 bushels

TYPE:

NUMBER OF LEGS IN HOUSE: 4

WEIGHT SCALES: NUMBER: 6 - (2 - Export, 2 - Inbound, 1 - Track, 1 - Barge Cleanup)

LOCATION: 7'th Floor - Readout

4'th Floor - Hopper Car Dump - Track Scale

4 - Howe-Richardson Hopper Electronic

1 - Howe-Richardson Track Electronic

1 - Howe-Richardson Truck Scale (Not Certified)

D/T SAMPLERS: NUMBER: 2

LOCATION: 6'th Floor

TYPE: International Stanley (Primary - Export)

Gamet (Primary - Inbound) Denver Secondaries

NUMBER OF SHIPPING BINS: 6

CAPACITY OF EACH SHIPPING BIN: 30,000 bushels (833 metric tons)

FIELD OFFICE MANAGER: John Shropshire

TELEPHONE NUMBER: (504) 764-2324 FAX NUMBER: (504) 764-0732

SERVICE PROVIDED BY: GIPSA New Orleans Field Office

ELEVATOR NAME AND ADDRESS: K - 2 Barge (FLOATING RIG)

6024 HWY 44 (River Road)

Convent, LA 70723 MILE: 158.0

FACILITY OPERATOR: Cargill, Inc.

15407 McGinty Road West

Wayzata, MN 55391

ELEVATOR MANAGER: Dave Leeth
TELEPHONE NUMBER: (225) 562-7313
FAX NUMBER: (225) 562-3084

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: None

LOADING CAPACITY (/HR) 60,000 bushels (1,600 metric tons)

NUMBER OF LEGS IN HOUSE: None (Inclined Belt)

WEIGHT SCALES: NUMBER: 2

LOCATION: Bow of Vessel
TYPE: Compuweigh 2000

D/T SAMPLERS: NUMBER: 2

LOCATION: Belt End - Shipping Belt (Bow)

Belt End - Receiving Belt (Stern)

TYPE: International Stanley (Primary)

Gamet (Secondary)

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

FIELD OFFICE MANAGER: John Shropshire

TELEPHONE NUMBER: (504) 764-2324 FAX NUMBER: (504) 764-0732

SERVICE PROVIDED BY: GIPSA New Orleans Field Office

ELEVATOR NAME AND ADDRESS: Lake Charles Public Elevator

Bulk Terminal No. 2 (Facility primarily 150 Marine Street handles rice and other Lake Charles, LA 70601 bagged commodities.)

FACILITY OPERATOR: Lake Charles Harbor & Terminal District

Post Office Box 3753 Lake Charles, LA 70602

ACTING PORT DIRECTOR: Terry Jordan

TELEPHONE NUMBER: (337) 493-3596 FAX NUMBER: (337) 493-3598

TYPE OF OPERATION: Shipping Bin

STORAGE CAPACITY: 750 thousand bushels (19,700 metric tons)

LOADING CAPACITY (/HR) 25,000 bushels (700 metric tons)

NUMBER OF LEGS IN HOUSE: 1

WEIGHT SCALES: NUMBER: 3

LOCATION: Ship Scale House

Truck Dump Rail Dump

TYPE: 1 - Morrison Hopper Levertronic (Class X)

1 - Toledo Vehicle Electronic (Unofficial)

1 - Morrison RR Track Electronic (Unofficial)

D/T SAMPLERS: NUMBER: 2

LOCATION: Above Upper Garner of Shipping Scale (Checktest Only)

Downside of Elevator Leg Above Shipping Bins (Ship)

TYPE: Denver & Carter-Day (Primary)

International Stanley & Carter-Day (Secondary)

NUMBER OF SHIPPING BINS: 3

CAPACITY OF EACH SHIPPING BIN: 12,000 bushels (300 metric tons)

NUMBER OF SPOUTS TO SHIP: 2

NUMBER OF BELTS TO SHIP: 1 to Scale

1 to Each Loading Spout Below Scale

FIELD OFFICE MANAGER: John Shropshire

TELEPHONE NUMBER: (504) 764-2324 FAX NUMBER: (504) 764-0732

SERVICE PROVIDED BY: GIPSA Port Allen Duty Point

OFFICER IN CHARGE: Donald E. Martin TELEPHONE NUMBER: (225) 389-0373 FAX NUMBER: (225) 389-0484

ELEVATOR NAME AND ADDRESS: Port of Baton Rouge Grain Elevator

520 Elevator Road

Port Allen, LA 70767 MILE: 228.0

FACILITY OPERATOR: Cargill, Inc.

15407 McGinty Road West

Wayzata, MN 55391

ELEVATOR SUPERINTENDENT: Deanna Albaugh

LOCATION MANAGER: Jeff Abler

TELEPHONE NUMBER: (225) 383-5221 FAX NUMBER: (225) 383-0953

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 7.0 million bushels (184,200 metric tons)
LOADING CAPACITY (/HR) 60,000 bushels (1,600 metric tons)

NUMBER OF LEGS IN HOUSE: 16 WEIGHT SCALES: NUMBER: 6

LOCATION: 3 - Headhouse (Hoppers) 2 - Platform (Receiving)

1 - Platform (Truck Shipping)

TYPE: Compuweigh 2000 Full Electronic

D/T SAMPLERS: NUMBER: 8

LOCATION: 1 - Head of Leg (Ship) 1 - Head of Leg (In - Truck)

2 - Receiving Belt (Trucks) 2 - Head of Leg (In - Rail)

2 - Belt Spout (In - Barge)

TYPE: 5 - International Stanley 2 - Gamet

1 - Denver

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

FIELD OFFICE MANAGER: John Shropshire

TELEPHONE NUMBER: (504) 764-2324 FAX NUMBER: (504) 764-0732

SERVICE PROVIDED BY: GIPSA New Orleans Field Office

ELEVATOR NAME AND ADDRESS: RG-1 (FLOATING RIG) MILE: 175.0

3027 Highway 75 Darrow, LA 70725

FACILITY OPERATOR: Cooper/T. Smith Stevedoring Co., Inc.

118 North Royal Street Mobile, AL 36633

ELEVATOR MANAGER: Ed Laurendine ELEVATOR SUPERINTENDENT: Leo Bandsma TELEPHONE NUMBER: (225) 474-3200 FAX NUMBER: (225) 473-6161

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: None

LOADING CAPACITY (/HR) 30,000 bushels (800 metric tons)

NUMBER OF LEGS IN HOUSE: 1

WEIGHT SCALES: NUMBER: 1

LOCATION: Below Receiving Hopper TYPE: Compuweigh 2000 Electronic

D/T SAMPLERS: NUMBER: 1

LOCATION: Top of Spout TYPE: Inter Systems

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

FIELD OFFICE MANAGER: John Shropshire

TELEPHONE NUMBER: (504) 764-2324 FAX NUMBER: (504) 764-0732

SERVICE PROVIDED BY: GIPSA New Orleans Field Office

ELEVATOR NAME AND ADDRESS: Rig-America (FLOATING RIG)

3027 Highway 75

Darrow, LA 70725 MILE: 175.0

FACILITY OPERATOR: Cooper/T. Smith Stevedoring Co., Inc.

118 North Royal Street Mobile, AL 36633

ELEVATOR MANAGER: Ed Laurendine ELEVATOR SUPERINTENDENT: Leo Bandsma TELEPHONE NUMBER: (225) 474-3200 FAX NUMBER: (225) 473-6161

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: None

LOADING CAPACITY (/HR) 47,000 bushels (1,200 metric tons)

NUMBER OF LEGS IN HOUSE: 2

WEIGHT SCALES: NUMBER: 2

LOCATION: On the Starboard Pontoon

TYPE: 1 - Compuweigh 2000 Electronic

1 - Morrison Electronic

D/T SAMPLERS: NUMBER: 2

LOCATION: Drop Side - Top of Elevating Legs

TYPE: Gamet

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

FIELD OFFICE MANAGER: John Shropshire

TELEPHONE NUMBER: (504) 764-2324 FAX NUMBER: (504) 764-0732

SERVICE PROVIDED BY: GIPSA New Orleans Field Office

ELEVATOR NAME AND ADDRESS: Peavey Elevator MILE: 150.0

3338 HWY 44 (River Road)

Paulina, LA 70763

FACILITY OPERATOR: Peavey Company, A Division of ConAgra, Inc.

11 ConAgra Drive

Omaha, Nebraska 68102

ELEVATOR MANAGER: Michael Geurts
ELEVATOR SUPERINTENDENT: Troy Sullivan Jr.
TELEPHONE NUMBER: (225) 869-4405
FAX NUMBER: (225) 869-4517

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 2 million bushels (52,600 metric tons) LOADING CAPACITY (/HR) 60,000 bushels (1,600 metric tons)

NUMBER OF LEGS IN HOUSE: 4 Outside Legs

WEIGHT SCALES: NUMBER: 4 - Outbound 2 - Receiving

LOCATION: 2'nd Floor (Shipping) 3'rd Floor (Barge & Cars)

Parking Lot (Vehicle Platform Scale)

TYPE: Howe-Richardson Bulktronic

Cardinal Vehicle Scale

D/T SAMPLERS: NUMBER: 3

LOCATION: 5'th Floor (Samples Prior to Weighing)

TYPE: International Stanley

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

FIELD OFFICE MANAGER: John Shropshire

TELEPHONE NUMBER: (504) 764-2324 FAX NUMBER: (504) 764-0732

SERVICE PROVIDED BY: GIPSA New Orleans Field Office

ELEVATOR NAME AND ADDRESS: Zen-Noh Grain Corporation

8886 HWY 44 (River Road)

MILE: 164.5

Convent, LA 70723

FACILITY OPERATOR: Zen-Noh Grain Corporation

3850 North Causeway Boulevard, Suite 1100

Metairie, LA 70011

ELEVATOR MANAGER: Rodney Duhe
ELEVATOR SUPERINTENDENT: Todd Canatella
TELEPHONE NUMBER: (225) 562-3571
FAX NUMBER: (225) 562-5335

TYPE OF OPERATION: Shipping Bin

STORAGE CAPACITY: 4 million bushels (105,200 metric tons) LOADING CAPACITY (/HR) 120,000 bushels (3,200 metric tons)

NUMBER OF LEGS IN HOUSE: 1 Outside Leg

WEIGHT SCALES: NUMBER: 5

LOCATION: 4 - Weigh Tower

1 - Side of Elevator (Trucks)

TYPE: 4 - Compuweigh Hopper Full Electronic

1 - Compuweigh Vehicle Full Electronic

D/T SAMPLERS: NUMBER: 4

LOCATION: 5'th Floor End of Belts at Head Pulley

TYPE: International Stanley

NUMBER OF SHIPPING BINS: 12

CAPACITY OF EACH SHIPPING BIN: 30,000 bushels (800 metric tons)

FIELD OFFICE MANAGER: Walter E. Rust

TELEPHONE NUMBER: (503) 326-7887 FAX NUMBER: (503) 326-7896

SERVICE PROVIDED BY: GIPSA Portland Field Office

ELEVATOR NAME AND ADDRESS: Cargill Irving Elevator

800 North River Portland, OR 97227

FACILITY OPERATOR: Cargill, Inc.

15407 McGinty Road West

Wayzata, MN 55391

ELEVATOR MANAGER & SUP'T: Dan Raner

TELEPHONE NUMBER: (503) 281-9177 FAX NUMBER: (503) 281-1971

TYPE OF OPERATION: Shipping Bin

STORAGE CAPACITY: 1.386 million bushels (39,365 metric tons)

LOADING CAPACITY (/HR) 50,000 bushels (1,400 metric tons)

NUMBER OF LEGS IN HOUSE: 5

WEIGHT SCALES: NUMBER: 4

LOCATION: Ground Floor (Truck & Rail)

7'th Floor (Shipping # 1)

9'th Floor (Shipping & Receiving # 2)

TYPE: 2 - Compuweigh Hopper Levertronic

1 - Cardinal Track/Truck Full Electronic

1 - Toledo Remote Vehicle Full Electronic

D/T SAMPLERS: NUMBER: 4

LOCATION: 12'th Floor (D/T's 3 & 4) (Secondaries on 11'th Floor)

9'th Floor (D/T 1) 2'nd Floor (Barge D/T)

TYPE: International Stanley and Gamet

NUMBER OF SHIPPING BINS: 5

CAPACITY OF EACH SHIPPING BIN: 4 - 40,000 bushels (1,100 metric tons)

1 - 13,333 bushels (367 metric tons)

FIELD OFFICE MANAGER: Walter E. Rust

TELEPHONE NUMBER: (503) 326-7887 FAX NUMBER: (503) 326-7896

SERVICE PROVIDED BY: GIPSA Portland Field Office

ELEVATOR NAME AND ADDRESS: Cargill Terminal # 4

11000 North Lombard Portland, OR 97203

FACILITY OPERATOR: Cargill, Inc.

15407 McGinty Road West Wayzata, MN 55391

SECTOR SUPERINTENDENT: Gene Loffler

TELEPHONE NUMBER: (503) 286-0678 (Elevator)
TELEPHONE NUMBER: (503) 478-1125 (Office)
FAX NUMBER: (503) 286-9033 (Elevator)

TYPE OF OPERATION: Shipping Bin

STORAGE CAPACITY: 7.5 million bushels (212,800 metric tons)
LOADING CAPACITY (/HR) 75,000 bushels (2,000 metric tons)

NUMBER OF LEGS IN HOUSE: 6

WEIGHT SCALES: NUMBER: 6

LOCATION: 5'th Floor - (#s 1,2, 3, 7)

7'th Floor - (# 6)

Between 5'th & 6'th Floors (#5)

TYPE: 6 - Compuweigh Electronic (Export, Barge & Rail)

D/T SAMPLERS: NUMBER: 5

LOCATION: 3 - 7'th Floor (Ships); 1 - 8'th Floor (Railcars)

1 - Main Floor (Barges)

TYPE: International Stanley

NUMBER OF SHIPPING BINS: 6

CAPACITY OF EACH SHIPPING BIN: 20,000 - 21,000 bushels (570 - 600 metric tons)

FIELD OFFICE MANAGER: Walter E. Rust

TELEPHONE NUMBER: (503) 326-7887 FAX NUMBER: (503) 326-7896

SERVICE PROVIDED BY: GIPSA Portland Field Office

ELEVATOR NAME AND ADDRESS: Columbia Grain, Inc., Terminal # 5

15660 North Lombard Portland, OR 97203

FACILITY OPERATOR: Columbia Grain, Inc.

15660 North Lombard Portland, OR 97203

ELEVATOR PRESIDENT: Bert Farrish
GENERAL MANAGER: Randy Cartmill
GENERAL SUPERINTENDENT: Bill Carlson
TELEPHONE NUMBER: (503) 286-9681
FAX NUMBER: (503) 289-9757

TYPE OF OPERATION: Shipping Bin

STORAGE CAPACITY: 4.0 million bushels (113,500 metric tons)
LOADING CAPACITY (/HR) 70,000 bushels (2,000 metric tons)

NUMBER OF LEGS IN HOUSE: 8 WEIGHT SCALES: NUMBER: 6

LOCATION: Ground Floor - (Rail & Trucks)

3'rd Floor - (Barges) 6'th Floor (#s 1 & 2)

TYPE: 3 - Compuweigh

1 - Compuweigh2 - Compuweigh

D/T SAMPLERS: NUMBER: 5

LOCATION: 7'th Floor (Ships) (D/T 1 & 2); Intersystems

7'th Floor (Receiving) North Pit Leg 2 Intersystems 4'th Floor (Barge D/T); Gamet

Top of Headhouse (Receiving D/T, Leg E7); Intersystems

TYPE: See Above

NUMBER OF SHIPPING BINS: 6

CAPACITY OF EACH SHIPPING BIN: 33,000 bushels (910 metric tons)

FIELD OFFICE MANAGER: Walter E. Rust

TELEPHONE NUMBER: (503) 326-7887 FAX NUMBER: (503) 326-7896

SERVICE PROVIDED BY: GIPSA Portland Field Office

ELEVATOR NAME AND ADDRESS: Louis Dreyfus Elevator

Foot of North Holladay Street

Portland, OR 97232

FACILITY OPERATOR: Louis Dreyfus Corporation

10 Westport Road Wilton, CT 06897

ELEVATOR MANAGER & SUP'T: Don Stutz

TELEPHONE NUMBER: (503) 232-0127 FAX NUMBER: (503) 233-1272

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 1.8 million bushels (51,000 metric tons) LOADING CAPACITY (/HR) 45,000 bushels (1,300 metric tons)

NUMBER OF LEGS IN HOUSE: 4

WEIGHT SCALES: NUMBER: 4

LOCATION: 9'th Floor

TYPE: Compuweigh Electronic

D/T SAMPLERS: NUMBER: 4

LOCATION: Ground Floor (Barges)

Roof Top (2 - Receiving, 1 - Ship)

TYPE: International Stanley and Gamet

NUMBER OF SURGE BINS: 2

CAPACITY OF EACH SURGE BIN: 2,167 bushels (60 metric tons)

SERVICE PROVIDED BY: GIPSA Toledo Field Office

ELEVATOR NAME AND ADDRESS: The Andersons Maumee / Illinois Elevator

507 Illinois Avenue Maumee, OH 43537

FACILITY OPERATOR: The Andersons

1200 Dussel Drive Maumee, OH 43537

OPERATIONS MANAGER: Mike Kiel CUSTOMER SRVC MANAGER: Jeff Hahn

TELEPHONE NUMBER: (419) 891-2917

FAX NUMBER: N/A

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 17.0 million bushels (482,200 metric tons)

LOADING CAPACITY (/HR) 35,000 bushels (1,000 metric tons)

NUMBER OF LEGS IN HOUSE: 3

WEIGHT SCALES: NUMBER: 1

LOCATION: Railcar Track Scale 53 House TYPE: Toledo Track Electronic

D/T SAMPLERS: NUMBER: 1

LOCATION: Above Track Scale TYPE: International Stanley

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A NUMBER OF SPOUTS TO RAILCAR: 1 NUMBER OF BELTS TO SHIP: N/A

SERVICE PROVIDED BY: GIPSA Toledo Field Office

ELEVATOR NAME AND ADDRESS: The Andersons River / Kuhlman Elevator

440 Kuhlman Drive Toledo, OH 43609

FACILITY OPERATOR: The Andersons

1200 Dussel Drive Maumee, OH 43537

ELEVATOR MANAGER: Robert Heilman TELEPHONE NUMBER: (419) 241-8943 TRAFFIC COORDINATOR: (419) 241-4669 FAX NUMBER: (419) 255-5366

TYPE OF OPERATION: Shipping Bin

STORAGE CAPACITY: 7.0 million bushels (198,600 metric tons)
LOADING CAPACITY (/HR) 50,000 bushels (1,400 metric tons)

NUMBER OF LEGS IN HOUSE: 2

WEIGHT SCALES: NUMBER: 4

LOCATION: Headhouse Scale Floor

TYPE: 2 - Toledo Vehicle Full Electronic

1 - Toledo RR Track Electronic1 - Toledo Hopper Levertronic

D/T SAMPLERS: NUMBER: 1

LOCATION: Below Scale TYPE: Anderson

NUMBER OF SHIPPING BINS: 7

CAPACITY OF EACH SHIPPING BIN: 6 - 11,000 bushels (300 metric tons)

1 - 6,000 bushels (200 metric tons)

SERVICE PROVIDED BY: GIPSA Toledo Field Office

ELEVATOR NAME AND ADDRESS: The Andersons River / Edwin Elevator

125 Edwin Drive

Toledo, OH 43609 (formerly Cargill, Toledo)

FACILITY OPERATOR: The Andersons

1200 Dussel Drive Maumee, OH 43537

ELEVATOR MANAGER: Don Wray

TELEPHONE NUMBER: (419) 243-6800 FAX NUMBER: (419) 243-7352

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 5.9 million bushels (149,900 metric tons) LOADING CAPACITY (/HR) 60,000 bushels (1,700 metric tons)

NUMBER OF LEGS IN HOUSE: 2

WEIGHT SCALES: NUMBER: 3

LOCATION: Headhouse Scale Floor

TYPE: 2 - Full Electronic Hoppers (Inbound Trucks)

1 – Bulkweigher Full Electronic Hopper

1 - Toledo Hopper Levertronic

D/T SAMPLERS: NUMBER: 1

LOCATION: Below Lower Garner & Discharge to Railcar or Export Belt

TYPE: International Stanley (Spout – Crosscut D/T)

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

SERVICE PROVIDED BY: GIPSA Toledo Field Office

ELEVATOR NAME AND ADDRESS: The Andersons Maumee / Conant Elevator

1283 North Conant Street

Maumee, OH 43537 (formerly Cargill, Maumee)

FACILITY OPERATOR: The Andersons

1200 Dussel Drive Maumee, OH 43537

ELEVATOR MANAGER: Mike Kiel STORAGE ONLY - Grain

CUSTOMER SRVC MANAGER: Jeff Hahn Shipped from the TELEPHONE NUMBER: (419) 891-2917 "Illinois" Elevator

FAX NUMBER: (419) 891-2996

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 6.261 million bushels (177,600 metric tons)

LOADING CAPACITY (/HR) 20,000 bushels (600 metric tons)

NUMBER OF LEGS IN HOUSE: 1

WEIGHT SCALES: NUMBER: 1

LOCATION: Headhouse Scale Floor

TYPE: Toledo

D/T SAMPLERS: NUMBER: 1

LOCATION: Headhouse

TYPE: International Stanley

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

NUMBER OF SPOUTS TO RAILCAR: 1 NUMBER OF BELTS TO RAILCAR: N/A

SERVICE PROVIDED BY: GIPSA, Chicago Duty Point

CONTACT: Jim Eades

TELEPHONE NUMBER: (773) 375-1507

ELEVATOR NAME AND ADDRESS: Cargill Burns Harbor Elevator

6640 Ship Drive Portage, IN 46368

FACILITY OPERATOR: Cargill, Inc.

15407 McGinty Road West

Wayzata, MN 55391

ELEVATOR MANAGER: James Monger
TELEPHONE NUMBER: (219) 787-8613
ELEVATOR SUPERINTENDENT: Glen Kucharyski
TELEPHONE NUMBER: (219) 787-8624
FAX NUMBER: (219) 787-9465

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 5.0 million bushels (144,700 metric tons)
LOADING CAPACITY (/HR) 90,000 bushels (2,600 metric tons)

NUMBER OF LEGS IN HOUSE: 1

WEIGHT SCALES: NUMBER: 4

LOCATION: Elevator Tower

TYPE: Compuweigh 1000 Full Electronic

D/T SAMPLERS: NUMBER: 2

LOCATION: Below Scale in Tower TYPE: International Stanley

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

SERVICE PROVIDED BY: GIPSA, Chicago Duty Point

CONTACT: Jim Eades
TELEPHONE NUMBER: (773) 375-1507

ELEVATOR NAME AND ADDRESS: Chicago & Illinois River Marketing, LLC

Elevator B

11700 South Torrence

Chicago, IL 60617 (formerly Continental "B")

FACILITY OPERATOR: Chicago & Illinois River Marketing, LLC

960 E Bay Street Milwaukee, WI 53207

ELEVATOR MANAGER & SUPT: Dennis Populorum TELEPHONE NUMBER: (773) 375-1830

OFFICE MANAGER: Thomas Coyle

TELEPHONE NUMBER: (773) 375-1830 FAX NUMBER: (773) 375-4162

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 10.5 million bushels (303,800 metric tons)

LOADING CAPACITY (/HR) 30,000 bushels (900 metric tons)

NUMBER OF LEGS IN HOUSE: 4
WEIGHT SCALES: NUMBER: 7

LOCATION: 5 - Hopper Scales in Headhouse

2 - Truck Dump Scales at Ground Level

TYPE: 5 - Fairbanks-Morse Hoppers MFCB

1 - Streeter-Amet Vehicle Electronic

1 - Fairbanks-Morse Vehicle Levertronic

D/T SAMPLERS: NUMBER: 3

LOCATION: 2 - Bin Deck

1 - Distribution Floor

TYPE: International Stanley

NUMBER OF SURGE BINS: 5

CAPACITY OF EACH SURGE BIN: 18,000 bushels (500 metric tons)

SERVICE PROVIDED BY: GIPSA Toledo Field Office

ELEVATOR NAME AND ADDRESS: ADM/Countrymark, Inc.

1308 Miami Street Toledo, OH 43605

FACILITY OPERATOR: ADM/Countrymark, Inc.

4666 Faries Parkway Decatur, IL 62526

ELEVATOR MANAGER: Garry Fussell TELEPHONE NUMBER: (419) 691-3002

OFFICE SUPERINTENDENT: Dan Hines

TELEPHONE NUMBER: (419) 691-5703 ELEVATOR SUPERINTENDENT: Eugene Kobylak TELEPHONE NUMBER: (419) 691-7480 FAX NUMBER: (419) 691-1951

TYPE OF OPERATION: Shipping Bin

STORAGE CAPACITY: 9.6 million bushels (272,650 metric tons)
LOADING CAPACITY (/HR) 80,000 bushels (2,300 metric tons)

NUMBER OF LEGS IN HOUSE: 2

WEIGHT SCALES: NUMBER: 1

LOCATION: Headhouse Scale Floor

TYPE: 1 - Toledo Hopper Full Electronic

D/T SAMPLERS: NUMBER: 1

LOCATION: Belt to Shipping Bins TYPE: International Stanley

NUMBER OF SHIPPING BINS: 6

CAPACITY OF EACH SHIPPING BIN: 20,000 bushels (570 metric tons)

SERVICE PROVIDED BY: GIPSA Toledo Field Office

ELEVATOR NAME AND ADDRESS: Peavey Company Elevator

41 Cleveland Road East Huron, OH 44839

FACILITY OPERATOR: Peavey Company, A division of ConAgra, Inc.

11 ConAgra Drive

Omaha, Nebraska 68102

ELEVATOR MANAGER: Cindy Newman ELEVATOR SUPERINTENDENT: Bob Michener TELEPHONE NUMBER: (419) 433-4900 FAX NUMBER: (419) 433-7370

TYPE OF OPERATION: Direct Load

STORAGE CAPACITY: 2.4 million bushels (62,400 metric tons)

LOADING CAPACITY (/HR) 30,000 bushels (850 metric tons)

NUMBER OF LEGS IN HOUSE: 1

WEIGHT SCALES: NUMBER: 3

LOCATION: Headhouse Scale Floor

TYPE: 1 - IWS Hopper Levertronic (Export)

1 - IWS Vehicle Full Electronic1 - IWS Vehicle Full Electronic

D/T SAMPLERS: NUMBER: 1

LOCATION: Below Scale

TYPE: International Stanley

NUMBER OF SHIPPING BINS: None CAPACITY OF EACH SHIPPING BIN: N/A

FEDERAL /STATE MANAGER: John Flemm
TELEPHONE NUMBER: (360) 753-9072
FAX NUMBER: (360) 586-5257

SERVICE PROVIDED BY: Washington Department of Agriculture

GRAIN INSP MANAGER: Randy Deike TELEPHONE NUMBER: (360) 902-1921 FAX NUMBER: (360) 586-5257

ELEVATOR NAME AND ADDRESS: Louis Dreyfus Pier 86 Elevator

955 Alaskan Way West (formerly Cargill Seattle, WA 98119 Pier 86 Elevator)

FACILITY OPERATOR: Louis Dreyfus Corporation

10 Westport Road (P. O. Box 810)

Wilton, CT 06897-0810

ELEVATOR SUPERINTENDENT: Scott Fouch SHIFT SUPERVISOR Jason Middleton

TELEPHONE NUMBER: (206) 284-4851 FAX NUMBER: (206) 284-1360

TYPE OF OPERATION: Shipping Bin

STORAGE CAPACITY: 4.2 million bushels (119,100 metric tons)
LOADING CAPACITY (/HR) 100,000 bushels (2,800 metric tons)

NUMBER OF LEGS IN HOUSE: 8

WEIGHT SCALES: NUMBER: 4

LOCATION: Bin Tops (145 ft Level) - Shipping

Headhouse (213 ft Level) - Rail Hoppers

TYPE: 4 - Compuweigh Electronic Hoppers

D/T SAMPLERS: NUMBER: 2

LOCATION: 2 @ Bin Tops (Export)

TYPE: 2 - Denver

NUMBER OF SHIPPING BINS: 8

CAPACITY OF EACH SHIPPING BIN: 39,600 bushels (1,100 metric tons)

FEDERAL /STATE MANAGER: John Flemm
TELEPHONE NUMBER: (360) 753-9072
FAX NUMBER: (360) 586-5257

SERVICE PROVIDED BY: Washington Department of Agriculture

GRAIN INSP MANAGER: Randy Deike
TELEPHONE NUMBER: (360) 902-1921
FAX NUMBER: (360) 586-5257

ELEVATOR NAME AND ADDRESS: United Harvest LLC Elevator

Kalama Terminal, Todd Road

Kalama, WA 98625

FACILITY OPERATOR: United Harvest, LLC

200 SW Market Street, Suite 1780

Portland, Oregon 97201

ELEVATOR MANAGER: Jim Veltum TELEPHONE NUMBER: (360) 673-1521

OFFICE MANAGER: Russ Carlson

TELEPHONE NUMBER: (360) 673-2011 FAX NUMBER: (360) 673-5101

TYPE OF OPERATION: Shipping Bin

STORAGE CAPACITY: 0.4 million bushels (11,300 metric tons) LOADING CAPACITY (/HR) 60,000 bushels (1,700 metric tons)

NUMBER OF LEGS IN HOUSE: 6 WEIGHT SCALES: NUMBER: 6

LOCATION: Interstate 5 - HSC Building Across From Elevator

Trucks @ South Entrance

TYPE: 5 - Fairbanks Hopper B & R Electronic

1 - B & R Vehicle Hopper Electronic

D/T SAMPLERS: NUMBER: 7

LOCATION: 4 - Top of Gallery Incline (Ships)

2 - Basement (Rail)1 - Basement (Barges)

TYPE: 4 - Intersystems (Ships)

3 - Gamet (Rail & Barges)

NUMBER OF SHIPPING BINS: 6

CAPACITY OF EACH SHIPPING BIN:16,500 bushels (500 metric tons)

FEDERAL /STATE MANAGER: John Flemm
TELEPHONE NUMBER: (360) 753-9072
FAX NUMBER: (360) 586-5257

SERVICE PROVIDED BY: Washington Department of Agriculture

GRAIN INSP MANAGER: Randy Deike
TELEPHONE NUMBER: (360) 902-1921
FAX NUMBER: (360) 586-5257

ELEVATOR NAME AND ADDRESS: Kalama Export Elevator, LLC

Kalama Terminal

2211 North Hendrickson Kalama, WA 98625

FACILITY OPERATOR: Kalama Export Company, LLC

2211 North Hendrickson Kalama, Washington 98625

ELEVATOR MANAGER: Steve Oaks
ELEVATOR SUPERINTENDENT: Jim Hewitt
TELEPHONE NUMBER: (360) 673-3900
FAX NUMBER: (360) 673-3910

TYPE OF OPERATION: Shipping Bin

STORAGE CAPACITY: 2.0 million bushels (56,700 metric tons) LOADING CAPACITY (/HR) 100,000 bushels (2,800 metric tons)

NUMBER OF LEGS IN HOUSE: 0

WEIGHT SCALES: NUMBER: 3

LOCATION: Interstate 5 - Peavey Building Across From Main Entrance

TYPE: CSI Bulkweigher Hoppers

D/T SAMPLERS: NUMBER: 3

LOCATION: Above Each Scale TYPE: Intersystems

NUMBER OF SHIPPING BINS: 4

CAP OF EACH SHIPPING BIN: Bins 1-3: 52,500 bu (1430MT) Bin4: 45,000 bu (1,225 MT

FEDERAL /STATE MANAGER: John Flemm
TELEPHONE NUMBER: (360) 753-9072
FAX NUMBER: (360) 586-5257

SERVICE PROVIDED BY: Washington Department of Agriculture

GRAIN INSP MANAGER: Randy Deike
TELEPHONE NUMBER: (360) 902-1921
FAX NUMBER: (360) 586-5257

ELEVATOR NAME AND ADDRESS: Tacoma Export Marketing Company

(TEMCO)

11 Schuster Parkway Tacoma, WA 98402

FACILITY OPERATOR: Tacoma Export Marketing Company (TEMCO)

1667 Snelling Avenue St. Paul, MN 55708

ELEVATOR SUPERINTENDENT: Terry Johnson ASSISTANT SUPERINTENDENT: Ron McGee TELEPHONE NUMBER: (253) 572-3511 FAX NUMBER: (253) 572-3514

TYPE OF OPERATION: Shipping Bin

STORAGE CAPACITY: 3.2 million bushels (90,800 metric tons) LOADING CAPACITY (/HR) 80,000 bushels (2,300 metric tons)

NUMBER OF LEGS IN HOUSE: 6

WEIGHT SCALES: NUMBER: 4

LOCATION: 5'th Floor (Shipping)

Car Dump (Track Scale)

TYPE: 2 - Howe-Richardson Hoppers Full Electronic

2 - Streeter-Amet Track Full Electronic

D/T SAMPLERS: NUMBER: 2

LOCATION: 7'th Floor TYPE: Gamet

NUMBER OF SHIPPING BINS: 8

CAPACITY OF EACH SHIPPING BIN: 19,800 bushels (600 metric tons)

FEDERAL /STATE MANAGER: John Flemm
TELEPHONE NUMBER: (360) 753-9072
FAX NUMBER: (360) 586-5257

SERVICE PROVIDED BY: Washington Department of Agriculture

GRAIN INSPECTION MANAGER: Randy Deike TELEPHONE NUMBER: (360) 902-1921 FAX NUMBER: (360) 586-5257

ELEVATOR NAME AND ADDRESS: United Harvest Elevator

1927 Elevator Way (formerly United Vancouver, WA 98660 Grain Corp. Elev.)

FACILITY OPERATOR: United Harvest, LLC

200 S W Market Street, Suite 1780

Portland, OR 97201

ELEVATOR MANAGER: Jim Veltum
TELEPHONE NUMBER: (360) 693-1521
FAX NUMBER: (360) 694-1986

TYPE OF OPERATION: Shipping Bin

STORAGE CAPACITY: 4.7 million bushels (133,300 metric tons)
LOADING CAPACITY (/HR) 80,000 bushels (2,300 metric tons)

NUMBER OF LEGS IN HOUSE: 8 Legs in A House, 2 Legs in B House

2 Legs in C House

WEIGHT SCALES: NUMBER: 9

LOCATION: 4'th Floor A House (#'s 1,2,3,4)

Scale Floor B House (#'s 9,10) Garner Floor (# 11)

C House (#'s 12, 13)

TYPE: 6 - B & R Hopper Electronic

3 - Compton

D/T SAMPLERS: NUMBER: 2

LOCATION: Above Upper Garner, C House (Ships)

TYPE: International Stanley

NUMBER OF SHIPPING BINS: 5

CAPACITY OF EACH SHIPPING BIN: 4 - 50,000 bushels (1,400 metric tons)

1 - 10,000 bushels (300 metric tons)

